



SUPPLEMENTARY DECLARATION NO. 164

LAS COLINAS AREA CLXIV

DALLAS COUNTY, TEXAS

This Supplementary Declaration is made, effective as of this 29th day of August, 2008, by HINES LAS COLINAS LAND LIMITED PARTNERSHIP, hereinafter called "Declarant",

BACKGROUND:

- A. Declarant's predecessor in interest, Las Colinas Corporation ("LCC"), executed a Declaration (as previously corrected and supplemented the "Declaration") on the 22nd of August, 1973, applicable to certain real property described in Exhibit "A" thereto and located in or adjacent to the City of Irving, County of Dallas, State of Texas.
- B. The Declaration was filed of record in Volume 73166, Page 1001, of the Deed Records of Dallas County, Texas, a Correction to Declaration was filed of record in Volume 77154, Page 1096, of the Deed Records of Dallas County, Texas, a Second Correction to Declaration was filed of record in Volume 79122, Page 0749, of the Deed Records of Dallas County, Texas, and a Third Correction to Declaration was filed of record in Volume 82071, Page 3244, of the Deed Records of Dallas County, Texas.
- C. LCC assigned all of its rights as "Declarant" under the Declaration to Las Colinas Land Limited Partnership ("LCLLP") pursuant to a Corrected Assignment and Transfer of Rights of Declarant under Declaration dated as of June 29, 1989, recorded in Volume 92041, Page 0446, of the Deed Records of Dallas County, Texas.
- D. LCLLP assigned all of its rights as "Declarant" under the Declaration to Declarant pursuant to an Assignment and Transfer of Rights of Declarant and Class B Member under Declaration dated as of December 23, 2005, recorded in Volume 200503641275, Deed Records, Dallas County, Texas.
- E. Additional real property has been added to the scheme of the Declaration as contemplated in Article I, Section 3, thereof by recording Supplementary Declarations in the Deed Records of Dallas County, Texas.
- F. Article V of the Declaration (entitled Protective Covenants), as originally written and as modified by the previous Supplementary Declarations is applicable only to the real property described in Exhibit "A" to the Declaration and in Exhibits to the previous Supplementary Declarations and not to additional real property which may be added to the scheme of the Declaration by subsequent Supplementary Declarations.
- G. Article I, Section 3, of the Declaration permits the addition of additional property to the scheme thereof by filing a Supplementary Declaration of record, which Supplementary

Declaration may modify Article V of the Declaration as it pertains to the additional property.

- H. Declarant desires to add additional property located within the boundaries of the property described in Exhibit "B" to the Declaration to the scheme of the Declaration and to modify Article V of the Declaration as it pertains to the additional property;

NOW THEREFORE, Declarant declares as follows:

1. The real property described in Exhibit A-164 attached hereto and incorporated herein by reference for all purposes (designated as **Area CLXIV** for purposes of this Supplementary Declaration) is and shall be subject to the scheme of the Declaration, and is and shall be held, transferred, sold, conveyed, used, and occupied subject to covenants, restrictions, easements, charges, and liens set forth in the Declaration (the Declaration being incorporated herein by reference for all purposes) as modified herein.
2. Article V of the Declaration is modified by the addition thereto of the following Section 164, which is applicable only to Area CLXIV.

Section 164. Covenants Applicable to Area CLXIV. The following provisions are applicable to any and all construction, improvement, alteration, addition, and use of, in, or to Area CLXIV of the Properties:

- a. Use Limitations. Sites in Area CLXIV may be used for single family residential dwellings (as defined by The Las Colinas Association), and for parks and open spaces created as part of the development process.
 - (1) No lot shall be used except for residential purposes or parks and open spaces created as part of the development process or for those lots specifically designated by Declarant for temporary marketing offices, construction trailers and field offices. No building shall be erected, altered, placed, or permitted to remain on any lot other than (i) one detached single family dwelling with a private garage for not more than four vehicles, or (ii) park and open space related facilities created as part of the development process.
 - (2) The floor area of the main structure, exclusive of one story open porches and garages, shall be no less than 2000 square feet for one-story dwellings and 2400 square feet for 1½ and two-story dwellings.
 - (3) No noxious or offensive activity shall be carried on upon any lot, nor shall anything be done thereon which may become an annoyance, dangerous or a nuisance to the neighborhood.
 - (4) No structure of a temporary character, recreational vehicle, mobile home, trailer, boat trailer, tent, shed, garage, barn, or other outbuilding shall be used on any lot at any time as a residence, either temporarily or permanently.

- (5) No sign of any kind shall be displayed to the public view on any lot except one professional sign of not more than one square foot, or a sign of not more than five square feet advertising the property for sale, or signs of a size and design approved by the Architectural Control Committee used by a builder to advertise the property during the construction and sale period.
- (6) No animals, livestock or poultry of any kind shall be raised, bred, or kept on any lot; except dogs, cats, or other household pets may be kept provided that they are not kept, bred, or maintained for any commercial purposes.
- (7) No lot shall be used or maintained as a dumping ground for rubbish, trash, garbage, or other waste. All garbage and trash shall be kept in sanitary containers fully enclosed by a walled structure.
- (8) No truck, trailer, mobile home, or vehicle other than passenger vehicles or temporary marketing offices, construction trailers and field offices on specifically approved lot(s), shall be permitted to park on the streets, in the driveways, or on any lot overnight.
- (9) No motorboat, boat, trailer, recreational vehicle, mobile home, or other similar vehicle may be maintained, stored, or kept on a lot unless housed completely within an enclosed and roofed structure approved by the Architectural Control Committee except for temporary marketing offices, construction trailers, and field offices on specifically approved lot(s).
- (10) No clothesline may be maintained on any lot.
- (11) Except as otherwise permitted by Federal statutes and/or rules and regulations of the Federal Communications Commission, the use of antennas, including, without limitation, dish type antennas, and towers must be approved by the Architectural Control Committee, which may consider things like size, location, and ability to screen the antenna(s) and tower(s) from view from adjacent properties and from streets and highways.
- (12) No manufacturing, trade, business, commerce, industry, profession, or other occupation whatsoever will be conducted or carried on upon any lot or any part thereof, or in any building or other structure erected thereon except for activities consistent with temporary marketing offices, construction trailers, and field offices on specifically approved lot(s). This Section 164.a.(12) does not, however, prohibit a resident from using a dwelling for personal business or professional pursuits provided that: (i) the uses are incidental to the use of the dwelling as a residence; (ii) the uses conform to applicable governmental ordinances; and (iii) there is no external evidence of the uses.

- (13) The use of any carport, driveway, street, or parking area that may be in front of, adjacent to, or part of any lot as a habitual parking place for trucks, trailers, mobile homes, recreational vehicles, boats, or commercial vehicles, except for vehicles used in conjunction with temporary marketing offices, construction trailers, and field offices on specifically approved lot(s) or model homes, is prohibited. The term “Commercial Vehicle” shall include all passenger vehicles, trucks, and vehicular equipment which shall bear signs or shall have printed on the sides of same reference to any commercial undertaking or enterprise.
- (14) No above ground level swimming pool may be installed on any lot, and any swimming pool shall be designed and engineered in compliance with Paragraph e. (1) of this Section 164.

b. Minimum Setback Lines.

- (1) No structure of any kind and no part thereof may be placed within these setback lines:
 - (A) 20 feet front yard setback from any street right of way for the main residential structure; where residences will have front entry garages facing the street, the minimum setback from any property line to the face of the garage shall be 22 feet; where residences will have a front swing garage, the minimum front yard setback for the garage shall be 20 feet.
 - (B) 15 feet from any street right of way other than those referenced in (A) above.
 - (C) 13 feet from any rear property line.
 - (D) 5 feet from any interior side lot lines.
- (2) The following improvements are expressly excluded from these setback restrictions:
 - (A) Structures below and covered by the ground.
 - (B) Steps, walks, patios, swimming pools, driveways, and curbing.
 - (C) Planters, walls, fences or hedges not to exceed 4 feet in height within the front “Minimum Setback Lines” (b.)(1)(A-B) or 9 feet in height within rear and side street “Minimum Setback Lines”, except as approved by the Architectural Control Committee.
 - (D) Landscaping.
 - (E) Box or bay windows.

- (F) Fireplaces and chimneys, to the extent any portion of same project from the side of a residential structure.
- (G) Porches, balconies, stoops and awnings may encroach a maximum of 5 feet into the required front yard setbacks.
- (H) Any other improvements approved in writing by Declarant. Roofed structures, other than the following, may in no event be approved:
 - [1] guard houses
 - [2] gate houses
 - [3] swimming pool equipment houses and cabanas
 - [4] greenhouses

- (3) Declarant may grant exceptions to or variances from any setback lines established in 2b(1) above, provided that any variances or exceptions must be in writing.

c. Garages and Parking.

- (1) The interior walls of all garages must be finished (tape, bed, and paint as a minimum) like other rooms in the building.
- (2) No garage shall be permitted to be enclosed for living or used for purposes other than storage of passenger vehicles and related normal uses except for the temporary use of a home as a builder's model, unless a new garage is constructed on the same property.

d. Landscaping, Walls, and Fences:

- (1) The horizontal visibility triangle area (as determined by the City of Irving Transportation Department) at the intersection of a street, alley or driveway shall remain clear of any man-made or natural items between an elevation of 2.5 feet and 7.5 feet above the pavement as measured at the gutter line. No tree shall be permitted to remain within such distances of such intersections unless the foliage line is maintained at a sufficient height to prevent obstruction of such sight lines.
- (2) The minimum landscape plan shall include one (1) tree in the front yard, with two (2) additional trees required in the side yard of a corner lot adjacent to a street, and foundation planting. The Owner is encouraged to include at a minimum one (1) rear tree where practical as approved by the Architectural Control Committee of the Las Colinas Association. The Architectural Control Committee shall respect the **Criteria for**

Construction Within the Limits of Dallas County Utility and Reclamation District Levees, and the Criteria for Placement of Landscape Plantings Within the Limits of Dallas County Utility and Reclamation District Levees, as described further in Paragraph 2.d.(5) below, on those lots affected by the Levee Protection Easement as indicated on the Final Plat for the subdivision. Trees shall be a minimum 5" caliper, as measured vertically 12" from the ground line. All planting beds shall include a portion that extends an average of 5 feet from the building foundation, and shall be comprised of a balanced combination of shrubs, vines, groundcovers and/or seasonal colors. The front, side and rear yards must be irrigated by a programmable irrigation system and sodded with grass. All applicants must submit landscape plans to the Architectural Control Committee for approval. The plans shall include, in general, hardscape structures and walks where appropriate; a planting plan, including materials, species and size; landscape lighting, retaining walls and fencing; and an automatic, underground irrigation system. Landscaping shall be completed on all sites contemporaneously with completion of other improvements, but in no event later than 90 days after first occupancy of building(s).

- (3) No structure, wall, fence, or hedge over 4 feet in height shall be constructed, erected, placed, planted, set out, maintained, or permitted upon any lot outside the front building line on any lot or any side street building line, except as approved by the Architectural Control Committee.
- (4) The owners of the lots shall be responsible for the maintenance of parkways located between their lot lines and the back of curb of streets and alleys on which said lots abut. The owners thereof shall likewise maintain the exterior of all structures on their lot and their yards, hedges, plants, and shrubs in a neat and trim condition at all times.
- (5) For lots identified on the Final Plat for The Lakes of Las Colinas (all phases) as having property located within the Levee Protection Easement (all lots contiguous to Riverside Drive or Hackberry Creek as indicated on the Final Plat for The Lakes of Las Colinas), all Owners must comply with the **Criteria for Construction Within the Limits of Dallas County Utility and Reclamation District Levees** and the **Criteria for Placement of Landscape Plantings Within the Limits of Dallas County Utility and Reclamation District Levees**, as established and amended from time to time by Dallas County Utility and Reclamation District. The purpose of the Criteria is to establish guidance to lot owners for the construction of new facilities or the modification of existing facilities within the limits of the Dallas County Utility and Reclamation District flood protection levees. The Levee Protected Easement area may only be modified upon approval by Dallas County Utility and Reclamation District and the City of Irving. With said approval, final approval of improvements is subject to the

approval of the Architectural Control Committee of the Las Colinas Association.

- e. Construction Standards. The main structure on all lots shall meet with the following requirements (except as modified by the Architectural Control Committee):
- (1) The foundation system shall be designed by a Registered Professional Engineer based on recommendations given in a geotechnical soils report prepared by a geotechnical engineering firm. The soils investigation and analysis, and the design of the foundation system, shall be prepared and stamped or sealed by a registered professional engineer. Any swimming pool shall be designed utilizing the data provided by the soils report and analysis with adequate surface and subsurface drainage provided.
 - (2) All roofs may be random tab architectural composition shingle roof (color must appear to be weathered wood shingles, black or slate, unless such other color is approved by the Architectural Control Committee, and must have a minimum 50 year warranty or the highest warranty readily available) tile, slate, standing seam metal, or other equal or greater product as approved by the Architectural Control Committee. All roof materials shall be compatible with the architectural style of the home.
 - (3) The exposed exterior wall area, exclusive of doors, windows, and covered porch areas, shall not be less than 80% brick, brick veneer, stone, stone veneer, lathe and plaster stucco, or stucco veneer construction, or other low maintenance material approved by the Architectural Control Committee. Only clay brick will be permitted. Stucco shall be traditional 3-coat process cement plaster stucco. EIFS is not allowed.
 - (4) The entire structure shall be guttered with downspouts. All gutters and downspouts on the front of the house shall be molded from aluminum with a pre-painted finish, copper or paint grip metal. All downspouts except those emptying directly into streets or driveways shall be tied into underground drains if positive drainage does not exist. Gutters shall not drain across property lines.
 - (5) Garages and all other outbuildings are to be given the same architectural treatment and be constructed of the same materials as the main structure. All garage doors shall be equipped with automatic remote controlled door openers. All garage doors viewed from a public street or common area must have a cedar clad, or equal, facing as approved by the Architectural Control Committee of the Las Colinas Association.
 - (6) All driveways shall be constructed of the following materials: brick pavers, stone, interlocking pavers, stamped and stained concrete, scored

and stained concrete, or concrete with stone or brick border, as approved by the Architectural Control Committee of the Las Colinas Association.

- (7) All exposed portions of the fire breast, flue and chimney shall be clad in brick, stone, or stucco and shall match the brick, stone or stucco used to meet the eighty percent (80%) exterior surface requirement. Chimneys located on an exterior wall must be 100% brick or stone.
- (8) All window framing shall be bronzed, cream, sand or white anodized aluminum, vinyl or wood. Painted wood or fiberglass window shutters may be used. No reflective window coverings or treatments shall be permitted. All windows facing a street front shall be divided light windows.
- (9) No exterior alterations of any existing building may be permitted without the prior written approval of the Architectural Control Committee. No additional windows, balconies, platforms, etc. which may invade the privacy of adjacent dwellings are permitted.
- (10) Any and all lines or wires for communication or for transmission of current outside of the building shall be constructed, placed and maintained underground.
- (11) Lighting plans shall be designed to delicately accent architectural elements, and shall include a minimum of one light near the front door or porch, controlled by a photocell. No exterior light shall be installed or maintained on any lot which is found to be objectionable by the Architectural Control Committee. Upon being given notice by the Association that any exterior light is objectionable, the owner of the lot will immediately remove said light or have the light shielded in such a way that it is no longer objectionable.
- (12) Mailboxes shall be Brandon Industries Dual Mailboxes, M1 Series, color Black, mounted on a smooth 4" black pole, or equal, as approved by the Architectural Control Committee.
- (13) No excavation may be made except in conjunction with construction or maintenance of an improvement. When the improvement or maintenance is completed, all exposed openings must be back filled, compacted, graded and landscaped in accordance with the approved landscape plan.
- (14) Once commenced, construction must be diligently pursued so it is not left in a partly finished condition for a period longer than ninety (90) days without written approval from the Architectural Control Committee.
- (15) Temporary portable buildings may be used for construction purposes or as field offices or temporary marketing offices within Area CLXIV in support of the sale of lots within Area CLXIV only with the prior written

approval of the Declarant. Such temporary portable buildings shall meet the following requirements:

- (A) Be landscaped to the same standards as other residential lots.
- (B) Allow no overnight parking of construction vehicles.
- (C) Provide screening for all construction materials to be kept on site.
- (D) Be kept in a clean, well-kept condition at all times.

Such temporary portable buildings shall be removed two (2) months after the date on which construction starts on the last of the lots. All landscaping, irrigation systems, hardscaping, signs and debris are to be removed and the area is to be graded, cleaned and turf established to the satisfaction of the Architectural Control Committee.

- (16) During construction on any lot, all trash and construction debris shall be contained within an on-site enclosure to be approved by the Association. The trash container shall be maintained on the lot throughout the period of construction (subject to the need to promptly remove and replace same as it becomes full), and all waste materials and construction debris shall be placed therein on a daily basis in order to reduce the possible dispersal of such waste materials and construction debris to any other lot and to maintain a neat and orderly appearance on the lot on which construction is being performed. Such temporary trash container shall be removed within 10 calendar days following completion of construction on the lot.
- (17) No wooden fence, wall or hedge shall exceed eight (8) feet in height or be less than six (6) feet in height unless otherwise specifically required by the City of Irving or expressly approved by the Architectural Control Committee of the Las Colinas Association. The average height of the fence should be 6 feet 6 inches (6'-6") or less. All wooden fences shall be constructed of cedar and be stained a uniform color (Sherwin Williams Semi-Transparent "Harbor Mist", #SW3541, or equal), shall be supported with galvanized steel posts at six (6) feet on center, and all cedar privacy fences shall be board on board and include a top rail. All Lots backing or siding to a creek, lake, greenbelt/common areas shall have a wrought iron fence, not less than four (4) feet in height and with a uniform design as approved by the Architectural Control Committee of the Las Colinas Association. Fence gates facing a street or open space shall be metal or wrought iron as approved by the Architectural Control Committee of the Las Colinas Association.
- (18) In order to maintain architectural variety along residential streets, homes shall adhere to a 360 degree rule, meaning an individual standing in the street turning in a complete circle shall not be able to view the same model or front elevation. In addition, homes with the same floor plan but a

different elevation shall maintain a minimum of two (2) units between one another, whether on the same side of the street or on opposite sides of the street.

Declarant may grant variances to and/or exceptions from any part of paragraph e. of this Section 164, provided that any such variances and/or exceptions must be in writing.

3. No approval of plans and specifications and no publication of requirements or guidelines herein or in the Declaration or otherwise by the Association or the Architectural Control Committee or granting of any exceptions or variances by Declarant may be construed as representing or implying that improvements built in accordance therewith will be free of defects or comply with applicable laws or ordinances. Any approvals and observations incident thereto concern matters of an aesthetic nature. No approvals and guidelines may be construed as representing or guaranteeing that any improvements built in accordance therewith will be designed or built in a good and workmanlike manner. The granting of any exceptions or variances by Declarant shall be in Declarant's sole discretion. Declarant, the Association, their respective directors, officers, employees, and agents, the Architectural Control Committee, and members of the Architectural Control Committee are not responsible or liable in damages or otherwise to anyone submitting plans and specifications for approval or to any owner of land subject to the Declaration for any defects in any plans or specifications submitted, revised, or approved, any loss or damages to any person arising out of approval or disapproval or failure to approve or disapprove any plans or specifications, any loss or damage arising from the noncompliance of the plans or specifications with any governmental ordinance or regulation, or any defects in construction undertaken pursuant to the plans and specifications. Approval of plans and specifications by the Architectural Control Committee may not be construed as approval by the City of Irving, Texas, as the approval processes are mutually exclusive. Unconditional approval of a complete set of plans and specifications by the Architectural Control Committee satisfies the requirements of all applicable subsections of this Supplementary Declaration that require written approval by the Architectural Control Committee for the plans and specifications. Any determination made by Declarant under this Supplementary Declaration, and the grant or denial of any exception or variance by Declarant under this Supplementary Declaration, is in Declarant's sole discretion.

4. The Declaration, except as expressly modified herein, remains in force and effect and is ratified and confirmed.

EXECUTED as of the day and year first written above.

HINES LAS COLINAS LAND LIMITED PARTNERSHIP, a
Texas limited partnership

By: Hines Las Colinas Land GP LLC,
its General Partner


By: Hines Interests Limited Partnership,
its sole member

By: Hines Holdings, Inc.,
its General Partner

By: *[Signature]* *Doc*
Name: CLAYTON C. ELLIOTT
Title: SVP

THE STATE OF TEXAS §
 §
COUNTY OF DALLAS §

This instrument was acknowledged before me on August 29, 2008, by Clayton C. Elliott, the Senior Vice President of Hines Holdings, Inc., the General Partner of Hines Interests Limited Partnership, the sole member of Hines Las Colinas Land GP LLC, the General Partner of Hines Las Colinas Land Limited Partnership, a Texas limited partnership, on behalf of said corporation, limited liability company and limited partnerships.



[SEAL]

Leslie M. Ward
Notary Public in and for
The State of Texas

My Commission Expires:
07/24/2010

EXHIBIT A — 164
LAS COLINAS AREA CLXIV
LEGAL DESCRIPTION

EXHIBIT A - 164
LAS COLINAS AREA CLXIV
LAND DESCRIPTION

BEING a tract of land situated in the McKinney and Williams Survey, Abstract No. 1056, the J. Spoon Survey, Abstract No. 1632, and the J.E. Field Survey, Abstract No. 487, City of Irving, Dallas County, Texas, and being a portion of a 8.92 acre tract described as "Site 14", and a portion of a 84.59 acre tract described as "Site 15-16" as recorded under Clerk's Instrument No. 200503641.265 of the Official Public Records of Dallas County, Texas, and being all of that 0.848 of an acre tract of land, as recorded under Clerk's Instrument No. 20070268804 of the Official Public Records of Dallas County, Texas, and being a portion of a 4.34 acre tract described as Tract B in "Exhibit B" in instrument to Dallas County Municipal Utility District No. 1 (now known as Dallas County Utility & Reclamation District) as recorded in Volume 75092, Page 0138 of the Deed Records of Dallas County, Texas, and being more particularly described as follows:

BEGINNING, at a 1/2 inch iron rod found at the intersection of the easterly line of a 2.35 acre tract of land described in instrument to the City of Irving, Texas as recorded under Clerk's instrument No. 20070206341 of the Official Public Records of Dallas County, Texas, with the common boundary line of said Hines Las Colinas Land Limited Partnership tracts and the Dallas Utility & Reclamation District tract (Lake Carolyn) as recorded in Volume 75092, Page 0138 of the Deed Records of Dallas County, Texas, as affected by the Boundary Line Agreement recorded in Volume 86157, Page 172 of the Deed Records of Dallas County, Texas, said point also being the beginning of a non-tangent curve to the left having a central angle of 19 degrees 47 minutes 00 seconds, a radius of 2,605.00 feet, and being subtended by a 895.00 foot chord bears North 09 degrees 13 minutes 03 seconds East;

THENCE, departing said common boundary line and continuing northerly along the easterly line of said 2.35 acre City of Irving tract and along said curve to the left an arc length of 899.46 feet to a 5/8 inch iron rod set with yellow plastic cap stamped "Huitt-Zollars" for a corner;

THENCE, North 89 degrees 19 minutes 33 seconds East along the easterly line of said 2.35 acre City of Irving tract a distance of 10.00 feet to a 5/8 inch iron rod set with yellow plastic cap stamped "Huitt-Zollars" for a corner;

THENCE, North 70 degrees 56 minutes 05 seconds East departing the easterly line of said 2.35 acre City of Irving tract a distance of 17.43 feet to a 5/8 inch iron rod set with yellow plastic cap stamped "Huitt-Zollars" for a corner;

THENCE, North 78 degrees 30 minutes 38 seconds East a distance of 157.50 feet to a 5/8 inch iron rod set with yellow plastic cap stamped "Huitt-Zollars" for a corner;

THENCE, North 76 degrees 23 minutes 40 seconds East a distance of 120.30 feet to a 5/8 inch iron rod set with yellow plastic cap stamped "Huitt-Zollars" for a corner;

THENCE, North 72 degrees 15 minutes 22 seconds East a distance of 268.02 feet to a 5/8 inch iron rod set with yellow plastic cap stamped "Huitt-Zollars" for a corner;

THENCE, South 06 degrees 56 minutes 50 seconds East a distance of 257.52 feet to a 5/8 inch iron rod set with yellow cap stamped "Huitt-Zollars" for a corner;

THENCE, South 02 degrees 00 minutes 56 seconds East a distance of 60.22 feet to a 5/8 inch iron rod set with yellow cap stamped "Huitt-Zollars" for a corner;

THENCE, South 12 degrees 21 minutes 14 seconds East a distance of 116.77 feet to a 5/8 inch iron rod set with yellow cap stamped "Huitt-Zollars" for a corner;

THENCE, South 18 degrees 34 minutes 12 seconds East a distance of 123.25 feet to a 5/8 inch iron rod set with yellow cap stamped "Huitt-Zollars" for a corner;

THENCE, South 18 degrees 33 minutes 53 seconds East a distance of 130.38 feet to a point on the dry side of a concrete retaining wall for Lake Carolyn, being on the common boundary line as per the aforementioned Boundary Line Agreement;

THENCE, along the dry side of said concrete retaining wall and along the aforesaid common boundary line the following courses:

North 81 degrees 18 minutes 44 seconds West a distance of 30.14 feet to a point for a corner;

North 84 degrees 34 minutes 29 seconds West a distance of 29.81 feet to a point for a corner;

North 88 degrees 29 minutes 58 seconds West a distance of 30.07 feet to a point for a corner;

South 87 degrees 50 minutes 06 seconds West a distance of 30.05 feet to a point for a corner;

South 84 degrees 13 minutes 35 seconds West a distance of 30.23 feet to a point for a corner;

South 80 degrees 40 minutes 42 seconds West a distance of 22.50 feet to a point for a corner;

South 77 degrees 21 minutes 17 seconds West a distance of 36.69 feet to a point for a corner;

South 73 degrees 24 minutes 43 seconds West a distance of 30.31 feet to a point for a corner;

South 69 degrees 39 minutes 12 seconds West a distance of 30.15 feet to a point for a corner;

South 65 degrees 47 minutes 11 seconds West a distance of 30.06 feet to a point for a corner;

South 61 degrees 36 minutes 21 seconds West a distance of 88.94 feet to a point for a corner;

South 57 degrees 20 minutes 23 seconds West a distance of 29.57 feet to a point for a corner;

South 56 degrees 37 minutes 54 seconds West a distance of 30.08 feet to a point for a corner;

South 54 degrees 17 minutes 51 seconds West a distance of 30.10 feet to a point for a corner;

South 51 degrees 31 minutes 27 seconds West a distance of 30.01 feet to a point for a corner;

South 49 degrees 19 minutes 03 seconds West a distance of 29.94 feet to a point for a corner;

South 46 degrees 35 minutes 20 seconds West a distance of 30.11 feet to a point for a corner;

South 43 degrees 41 minutes 28 seconds West a distance of 30.18 feet to a point for a corner;

South 41 degrees 15 minutes 07 seconds West a distance of 29.93 feet to a point for a corner;


South 38 degrees 48 minutes 17 seconds West a distance of 29.82 feet to a point for a corner;
South 37 degrees 24 minutes 05 seconds West a distance of 86.12 feet to a point for a corner;
South 42 degrees 29 minutes 09 seconds West a distance of 11.61 feet to a point for a corner;
South 50 degrees 08 minutes 36 seconds West a distance of 9.77 feet to a point for a corner;
South 60 degrees 21 minutes 42 seconds West a distance of 10.37 feet to a point for a corner;
South 69 degrees 22 minutes 35 seconds West a distance of 12.03 feet to a point for a corner;
South 76 degrees 34 minutes 36 seconds West a distance of 8.85 feet to a point for a corner;
South 83 degrees 15 minutes 26 seconds West a distance of 6.29 feet to a point for a corner;
South 87 degrees 31 minutes 19 seconds West a distance of 160.35 feet to the POINT OF
BEGINNING and CONTAINING 10.95 acres of land, more or less.

This document was prepared under 22 TAC 663.21, does not reflect the results of an on the ground survey, and is not to be used to convey or establish interests in real property except those rights and interests implied or established by the creation or reconfiguration of the boundary of the political subdivision for which it was prepared.

FILED AND RECORDED



OFFICIAL PUBLIC RECORDS


John F. Warren, County Clerk
Dallas County TEXAS

September 24, 2008 03:46:22 PM


FEE: \$72.00

20080309936



BASIS OF BEARINGS/DIRECTIONAL CONTROL:

CITY OF IRVING GEODETIC CONTROL MONUMENTS J-14 & K-15 WERE USED TO ESTABLISH HORIZONTAL CONTROL. COORDINATES ARE TEXAS STATE PLANE, NORTH CENTRAL TEXAS ZONE 4202, NAD 1983, ADJUSTED TO SURFACE USING A COMBINED SCALE FACTOR OF 1.000136506.



HUITT-ZOLLARS

Huitt-Zollars, Inc. Dallas
3131 McKinney Avenue, Suite 600
Dallas, Texas 75204-2489
Phone (214) 871-3311 Fax (214) 871-0757

**DEVELOPMENT PARCEL
DESCRIPTION INDEX
EXHIBIT MAP**